Author Index Vol. 781

Altria, K.D., see Kelly, M.A. 781(1997)67
Araki, T., see Tanaka, N. 781(1997)139
Arellano, M., El Kaddouri, S., Roques, C., Couderc, F. and Puig, Ph.
Capillary electrophoresis and indirect UV detection as a fast and simple analytical tool for bacterial taxonomy 781(1997)497
Bairley, D.W., see Nitowski, A.J. 781(1997)541
Banks, J.F., see Wheat, T.E. 781(1997)99
Becker, A., see Vogt, C. 781(1997)391
Beever, R.J., see Le, X.C. 781(1997)515
Bieber, A.L., see Nedelkov, D. 781(1997)429
Bissell, M.G., see Valbuena, G.A. 781(1997)467
Bounéry, J.D., see Zuriguel, V. 781(1997)233
Britz-McKibbin, P. and Chen, D.D.Y.
Prediction of the migration behavior of analytes in capillary electrophoresis based on three fundamental parameters 781(1997)23
Brüggemann, O., Freitag, R., Whitcombe, M.J. and Vulfson, E.N.
Comparison of polymer coatings of capillaries for capillary electrophoresis with respect to their applicability to molecular imprinting and electrochromatography 781(1997)43
Carrilho, E., see Piggee, C.A. 781(1997)367
Caussé, E., see Zuriguel, V. 781(1997)233
Cefalo, D., see Zaugg, S.E. 781(1997)487
Chen, D.D.Y., see Britz-McKibbin, P. 781(1997)23
Chen, F.-T.A., see Rampal, S. 781(1997)357
Chen, J., Preston, B.P. and Zimmerman, M.J.
Analysis of organic acids in industrial samples. Comparison of capillary electrophoresis and ion chromatography 781(1997)205
Chiari, M., Riva, S., Gelain, A., Vitale, A. and Turati, E.
Separations of DNA fragments by capillary electrophoresis in N-substituted polyacrylamides 781(1997)347
Childs, B., see Williams, R.L. 781(1997)107
Choi, O.-K. and Jo, J.-S.
Determination of L-ascorbic acid in foods by capillary zone electrophoresis 781(1997)435
Choudhary, G. and Horváth, Cs.
Dynamics of capillary electrochromatography. Experimental study on the electrosmotic flow and conductance in open and packed capillaries 781(1997)161
Chrambach, A., see Radko, S.P. 781(1997)277
Clark, B.J., see Kelly, M.A. 781(1997)67
Colyer, C.L., Mangru, S.D. and Harrison, D.J.
Microchip-based capillary electrophoresis of human serum proteins 781(1997)271
Compston, C.A., see Le, X.C. 781(1997)515
Conradi, S., see Wittrisch, H. 781(1997)407
Couderc, F., see Arellano, M. 781(1997)497
Couderc, F., see Zuriguel, V. 781(1997)233
Danielson, N.D., see Gallagher, P.A. 781(1997)533
Desiderio, C., Polcaro, C.M., Padiglioni, P. and Fanali, S.
Enantiomeric separation of acidic herbicides by capillary electrophoresis using vancomycin as chiral selector 781(1997)503
Dette, C., see Kunkel, A. 781(1997)445
Ding, J., Szeliga, J., Dipple, A. and Vouros, P.
Application of mixed mobile phases and a step gradient method in capillary electrochromatography for the separation of isomeric polycyclic aromatic hydrocarbon–deoxyribonucleoside adduct mixtures prepared in vitro 781(1997)327
Dipple, A., see Ding, J. 781(1997)327
Dongowski, G., see Schwarz, M.A. 781(1997)377
Dose, E.V., see Williams, R.L. 781(1997)107
Dovichi, N.J., see Le, X.C. 781(1997)515
El Kaddouri, S., see Arellano, M. 781(1997)497
Estivill, X., see Mansfield, E.S. 781(1997)295
Fanali, S., see Desiderio, C. 781(1997)503
Fazio, S.D., see Huang, W.X. 781(1997)129
Foret, F., see Rashkovetsky, L.G. 781(1997)197
Fortina, P., see Mansfield, E.S. 781(1997)295
Freitag, R., see Brüggemann, O. 781(1997)43
Friedberg, M.A., Hinsdale, M. and Shihabi, Z.K.
Effect of pH and ions in the sample on stacking in capillary electrophoresis 781(1997)35
Friedberg, M.A., Hinsdale, M.E. and Shihabi, Z.K.
Analysis of nitrate in biological fluids by capillary electrophoresis 781(1997)491
Fugger, L.H., see Heegaard, N.H.H. 781(1997)91
Gäb, S., see Schmitz, O. 781(1997)215
Gallagher, P.A. and Danielson, N.D.
Capillary electrophoresis of cationic and anionic surfactants with indirect conductivity detection 781(1997)533
Gasparini, P., see Mansfield, E.S. 781(1997)295
Gelain, A., see Chiari, M. 781(1997)347
Gelencsér, A., see Krivácsy, Z. 781(1997)223
Guiochon, G., see Williams, R.L. 781(1997)107
Günter, S., see Kunkel, A. 781(1997)445
Guttman, A. and Williams Ulfelder, K.
Exoglycosidase matrix-mediated sequencing of a complex glycan pool by capillary electrophoresis 781(1997)547
Hansen, B.E., see Heegaard, N.H.H. 781(1997)91
Hansen, D.K. and Lunte, S.M.
Determination of kynurenic acid by capillary electrophoresis with laser-induced fluorescence detection 781(1997)81
Harris, D.W., see Mansfield, E.S. 781(1997)295
Harrison, D.J., see Colyer, C.L. 781(1997)271
Heegaard, N.H.H., Hansen, B.E., Svejgaard, A. and Fugger, L.H.
Interactions of the human class II major histocompatibility complex protein HLA-DR4 with a peptide ligand demonstrated by affinity capillary electrophoresis 781(1997)91
Heinig, K., Vogt, C. and Werner, G.
Determination of cationic surfactants by capillary electrophoresis with indirect photometric detection 781(1997)17

Heo, Y.J., Kim, S.Y., Kim, E. and Lee, K.-J.
Quaternary structural analysis of nucleoside diphosphate kinases using capillary electrophoresis 781(1997)251
Higashi, K., see Takeda, S. 781(1997)11
Hindsgaul, O., see Le, X.C. 781(1997)515
Hinsdale, M., see Friedberg, M.A. 781(1997)35
Hinsdale, M.E., see Friedberg, M.A. 781(1997)491
Hlavay, J., see Krivácsy, Z. 781(1997)223
Hoogmartens, J., see Zhu, Y. 781(1997)417
Horváth, Cs., see Choudhary, G. 781(1997)161
Horváth, Cs., see Rathore, A.S. 781(1997)185
Hosoya, K., see Tanaka, N. 781(1997)139
Huang, W.X., Fazio, S.D. and Vivilecchia, R.V.
Achievement of enantioselectivity of non-polar primary amines by a non-chiral crown ether 781(1997)129
Hughes, D.E., see Rashkovetsky, L.G. 781(1997)197
Iwasaki, H., see Tanaka, N. 781(1997)139
Jankowiak, R., see Zamzow, D. 781(1997)73
Jo, J.-S., see Choi, O.-K. 781(1997)435
Jumppanen, J.H., see Wiedmer, S.K. 781(1997)239
Karger, B.L., see Piggee, C.A. 781(1997)367
Karger, B.L., see Rashkovetsky, L.G. 781(1997)197
Katsuragi, K., Kitagishi, K., Mizuguchi, T., Nagashima, T., Kinoshita, M. and Kumada, H.
Method for detection of epsilon-secondary structure in the precore region of human hepatitis B virus DNA using a fluorescence-based polymerase chain reaction–single-strand-conformation polymorphism technique with capillary electrophoresis 781(1997)307
Kaupp, S. and Wätzig, H.
Characterization of inner surface phenomena in capillary electrophoresis capillaries by electron microscopy, atomic force microscopy and secondary ion mass spectroscopy 781(1997)55
Kelly, M.A., Altria, K.D. and Clark, B.J.
Quantitative analysis of sodium dodecyl sulphate by capillary electrophoresis 781(1997)67
Kiessig, S. and Vogt, C.
Separation of carnitine and acylcarnitines by capillary electrophoresis 781(1997)475
Kim, E., see Heo, Y.J. 781(1997)251
Kim, S.Y., see Heo, Y.J. 781(1997)251
Kim, Y. and Yeung, E.S.
Separation of DNA sequencing fragments up to 1000 bases by using poly(ethylene oxide)-filled capillary electrophoresis 781(1997)315
Kim, Y.S., see Suh, M.J. 781(1997)263
Kimata, K., see Tanaka, N. 781(1997)139
Kinoshita, M., see Katsuragi, K. 781(1997)307
Kiss, G., see Krivácsy, Z. 781(1997)223
Kitagishi, K., see Katsuragi, K. 781(1997)307
Krivácsy, Z., Molnár, Á., Tarjányi, E., Gelencsér, A., Kiss, G. and Hlavay, J.
Investigation of inorganic ions and organic acids in atmospheric aerosol by capillary electrophoresis 781(1997)223
Kulomaa, A., Sirén, H. and Riekkola, M.-L.
Identification of antioxidative compounds in plant beverages by capillary electrophoresis with the marker index technique 781(1997)523
Kumada, H., see Katsuragi, K. 781(1997)307
Kunkel, A., Günter, S., Dette, C. and Wätzig, H.
Quantitation of insulin by capillary electrophoresis and high-performance liquid chromatography. Method comparison and validation 781(1997)445
Le, X.C., Zhang, Y., Dovichi, N.J., Compston, C.A., Palcic, M.M., Beever, R.J. and Hindsgaul, O.
Study of the enzymatic transformation of fluorescently labeled oligosaccharides in human epidermoid cells using capillary electrophoresis with laser-induced fluorescence detection 781(1997)515
Lee, C.S., see Tang, Q. 781(1997)113
Lee, H.K., see Rodriguez, I. 781(1997)287
Lee, K.-J., see Heo, Y.J. 781(1997)251
Lent, J.A., see Nitowski, A.J. 781(1997)541
Li, S.F.Y., see Rodriguez, I. 781(1997)287
Li, S.F.Y., see Wang, T. 781(1997)457
Lilley, K.A., see Wheat, T.E. 781(1997)99
Lin, C.-H., see Zamzow, D. 781(1997)73
Liu, M.-S., see Rampal, S. 781(1997)357
Lucy, C.A., see Rae, W.E. 781(1997)3
Lunte, S.M., see Hansen, D.K. 781(1997)81
Lyubarskaya, Y.V., see Rashkovetsky, L.G. 781(1997)197
Mangru, S.D., see Colyer, C.L. 781(1997)271
Mansfield, E.S., Vainer, M., Harris, D.W., Gasparini, P., Estivill, X., Surrey, S. and Fortina, P.
Rapid sizing of polymorphic microsatellite markers by capillary array electrophoresis 781(1997)295
Matyska, M.T., see Pesek, J.J. 781(1997)423
Mizuguchi, T., see Katsuragi, K. 781(1997)307
Mohammad, A.A., see Valbuena, G.A. 781(1997)467
Molnár, Á., see Krivácsy, Z. 781(1997)223
Muth, J., see Piggee, C.A. 781(1997)367
Nagashima, T., see Katsuragi, K. 781(1997)307
Nakagawa, K., see Tanaka, N. 781(1997)139
Nedelkov, D. and Bieber, A.L.
Detection of isoforms and isomers of rattlesnake myotoxins by capillary electrophoresis and matrix-assisted laser desorption time-of-flight mass spectrometry 781(1997)429
Nertz, M., see Zuriguel, V. 781(1997)233
Neubert, R.H.H., see Schwarz, M.A. 781(1997)377
Nitowski, A.A., see Nitowski, A.J. 781(1997)541
Nitowski, A.J., Nitowski, A.A., Lent, J.A., Bairley, D.W. and Van Valkenburg, D.
Capillary electrophoresis as a routine industrial tool for quantitative analytical testing. Determination of sodium dimethyldithiocarbamate in effluents 781(1997)541
Nouadje, G., see Zuriguel, V. 781(1997)233
Okorodudu, A.O., see Valbuena, G.A. 781(1997)467
Padiglioni, P., see Desiderio, C. 781(1997)503
Palcic, M.M., see Le, X.C. 781(1997)515
Patterson Jr., D.G., see Tanaka, N. 781(1997)139
Pesek, J.J. and Matyska, M.T.
Determination of aspartame by high-performance capillary electrophoresis 781(1997)423
Petersen, J.R., see Valbuena, G.A. 781(1997)467
Piggee, C.A., Muth, J., Carrilho, E. and Karger, B.L.
Capillary electrophoresis for the detection of known point mutations by single-nucleotide primer extension and laser-induced fluorescence detection 781(1997)367
Polcaro, C.M., see Desiderio, C. 781(1997)503
Preston, B.P., see Chen, J. 781(1997)205
Puig, Ph., see Arellano, M. 781(1997)497
Quilliam, M.A., see Zhao, J.-Y. 781(1997)555

Quirino, J.P. and Terabe, S.
On-line concentration of neutral analytes for micellar electrokinetic chromatography I. Normal stacking mode 781(1997)119
Radko, S.P., Weiss, G.H. and Chrambach, A.
Protein band spreading in capillary zone electrophoresis. Effects of sample zone length and presence of polymer 781(1997)277
Rae, W.E., Wong, J.E. and Lucy, C.A.
A simple means of generating pH gradients in capillary zone electrophoresis 781(1997)3
Raith, K., see Schwarz, M.A. 781(1997)377
Rampal, S., Liu, M.-S. and Chen, F.-T.A.
Characterization of TO-PRO-3 as an intercalator for double-stranded DNA analysis with red diode laser-induced fluorescence detection 781(1997)357
Rao, L.V., see Valbuena, G.A. 781(1997)467
Rashkovetsky, L.G., Lyubarskaya, Y.V., Foret, F., Hughes, D.E. and Karger, B.L.
Automated microanalysis using magnetic beads with commercial capillary electrophoretic instrumentation 781(1997)197
Rathore, A.S. and Horváth, Cs.
Capillary electrochromatography: theories on electroosmotic flow in porous media 781(1997)185
Riekkola, M.-L., see Kulomaa, A. 781(1997)523
Riekkola, M.-L., see Wiedmer, S.K. 781(1997)239
Riva, S., see Chiari, M. 781(1997)347
Rodriguez, I., Zhang, Y., Lee, H.K. and Li, S.F.Y.
Conventional capillary electrophoresis in comparison with short-capillary capillary electrophoresis and microfabricated glass chip capillary electrophoresis for the analysis of fluorescein isothiocyanate anti-human immunoglobulin G 781(1997)287
Roets, E., see Zhu, Y. 781(1997)417
Rohde, E., see Vogt, C. 781(1997)391
Rohde, E., see Wittrisch, H. 781(1997)407
Roques, C., see Arellano, M. 781(1997)497
Rüttinger, H.H., see Schwarz, M.A. 781(1997)377
Salvayre, R., see Zuriguel, V. 781(1997)233
Schmitz, O. and Gäb, S.
Separation of unsaturated fatty acids and related isomeric hydroperoxides by micellar electrokinetic chromatography 781(1997)215
Schwarz, M.A., Raith, K., Rüttinger, H.H., Dongowski, G. and Neubert, R.H.H.
Investigation of the interactions between drugs and mixed bile salt/lecithin micelles. A characterization by micellar affinity capillary electrophoresis (MACE). Part III 781(1997)377
Shihabi, Z.K., see Friedberg, M.A. 781(1997)35
Shihabi, Z.K., see Friedberg, M.A. 781(1997)491
Siméon, N., see Zuriguel, V. 781(1997)233
Sirén, H., see Kulomaa, A. 781(1997)523
Sirén, H., see Wiedmer, S.K. 781(1997)239
Small, G.J., see Zamzow, D. 781(1997)73
Suh, M.J., Kim, Y.S. and Yoo, Y.S.
Application of capillary electrophoresis to determination of enzyme activity and other properties of phosphatidylinositol-specific phospholipase C 781(1997)263
Surrey, S., see Mansfield, E.S. 781(1997)295
Svejgaard, A., see Heegaard, N.H.H. 781(1997)91
Szeliga, J., see Ding, J. 781(1997)327
Takeda, S., Wakida, S.-i., Yamane, M., Higashi, K. and Terabe, S.
Effect of the polar groups of anionic surfactant on migration behavior in micellar electrokinetic chromatography 781(1997)11
Talmadge, K.W., Tan, A.K. and Zhu, M.
DNA fragment analysis by capillary polymer sieving electrophoresis using poly(acryloylaminoethoxyethanol)-coated capillaries 781(1997)335
Tan, A.K., see Talmadge, K.W. 781(1997)335
Tanaka, N., Nakagawa, K., Iwasaki, H., Hosoya, K., Kimata, K., Araki, T. and Patterson Jr., D.G.
Polyallylamine-supported pseudo-stationary phases for electrokinetic chromatography. Effect of alkyl chain length of the pseudo-stationary phase and methanol content of aqueous buffer on the separation of hydrophobic compounds 781(1997)139
Tanaka, Y. and Terabe, S.
Enantiomer separation of acidic racemates by capillary electrophoresis using cationic and amphoteric β-cyclodextrins as chiral selectors 781(1997)151
Tang, Q. and Lee, C.S.
Effects of electroosmotic flow on zone mobilization in capillary isoelectric focusing 781(1997)113
Tarjányi, E., see Krivácsy, Z. 781(1997)223
Tazawa, T., see Zhao, J.-Y. 781(1997)555
Terabe, S., see Quirino, J.P. 781(1997)119
Terabe, S., see Takeda, S. 781(1997)11
Terabe, S., see Tanaka, Y. 781(1997)151
Thibault, P., see Zhao, J.-Y. 781(1997)555
Turati, E., see Chiari, M. 781(1997)347
Vainer, M., see Mansfield, E.S. 781(1997)295
Valbuena, G.A., Rao, L.V., Petersen, J.R., Okorodudu, A.O., Bissell, M.G. and Mohammad, A.A.
Anionic–zwitterionic mixed micelles in the micellar electrokinetic separation of clinically relevant steroids on a fused-silica capillary 781(1997)467
Van Schepdael, A., see Zhu, Y. 781(1997)417
Van Valkenburg, D., see Nitowski, A.J. 781(1997)541
Vigh, Gy., see Williams, R.L. 781(1997)107
Vitale, A., see Chiari, M. 781(1997)347
Vivilecchia, R.V., see Huang, W.X. 781(1997)129
Vogt, C., see Heinig, K. 781(1997)17
Vogt, C., see Kiessig, S. 781(1997)475
Vogt, C., Vogt, J., Becker, A. and Rohde, E.
Separation, comparison and identification of fountain pen inks by capillary electrophoresis with UV–visible and fluorescence detection and by proton-induced X-ray emission 781(1997)391
Vogt, C., see Wittrisch, H. 781(1997)407
Vogt, J., see Vogt, C. 781(1997)391
Vogt, J., see Wittrisch, H. 781(1997)407
Vouros, P., see Ding, J. 781(1997)327
Vulfson, E.N., see Brüggemann, O. 781(1997)43
Wakida, S.-i., see Takeda, S. 781(1997)11
Walker, E.B., see Walker, J.C. 781(1997)481
Walker, E.B., see Zaugg, S.E. 781(1997)487
Walker, J.C., Zaugg, S.E. and Walker, E.B.
Analysis of beverages by capillary electrophoresis 781(1997)481

Wang, T. and Li, S.F.Y.
Development of a capillary electrophoresis method with indirect photometric detection for the determination of anions related to anticaries 781(1997)457
Wätzig, H., see Kaupp, S. 781(1997)55
Wätzig, H., see Kunkel, A. 781(1997)445
Weiss, G.H., see Radko, S.P. 781(1997)277
Werner, G., see Heinig, K. 781(1997)17
Wheat, T.E., Lilley, K.A. and Banks, J.F.
Capillary electrophoresis with electrospray mass spectrometry detection for low-molecular-mass compounds 781(1997)99
Whitcombe, M.J., see Brüggemann, O. 781(1997)43
Wiedmer, S.K., Sirén, H., Riekkola, M.-L. and Jumppanen, J.H.
Comparison of capillary electrophoresis systems for the reliable identification of some carboxylic acids using the marker technique 781(1997)239
Williams, R.L., Childs, B., Dose, E.V., Guiochon, G. and Vigh, Gy.
Peak shape distortions during capillary electrophoretic separations of multicomponent samples in two co-ion buffers 781(1997)107
Williams Ulfelder, K., see Guttman, A. 781(1997)547
Wittrisch, H., Conradi, S., Rohde, E., Vogt, J. and Vogt, C.
Characterization of metal complexes of pharmaceutical interest by capillary electrophoresis with element sensitive detection 781(1997)407
Wong, J.E., see Rae, W.E. 781(1997)3
Yamane, M., see Takeda, S. 781(1997)11
Yeung, E.S., see Kim, Y. 781(1997)315
Yoo, Y.S., see Suh, M.J. 781(1997)263
Zamzow, D., Lin, C.-H., Small, G.J. and Jankowiak, R.
Application of capillary electrophoresis–fluorescence line-narrowing spectroscopy for on-line spectral characterization of closely related analytes 781(1997)73
Zaugg, S.E., Cefalo, D. and Walker, E.B.
Capillary electrophoretic analysis of salicin in *Salix* spp 781(1997)487
Zaugg, S.E., see Walker, J.C. 781(1997)481
Zhang, Y., see Le, X.C. 781(1997)515
Zhang, Y., see Rodriguez, I. 781(1997)287
Zhao, J.-Y., Thibault, P., Tazawa, T. and Quilliam, M.A.
Analysis of tetramine in sea snails by capillary electrophoresis–tandem mass spectrometry 781(1997)555
Zhu, M., see Talmadge, K.W. 781(1997)335
Zhu, Y., Van Schepdael, A., Roets, E. and Hoogmartens, J.
Micellar electrokinetic capillary chromatography for the separation of phenoxymethylpenicillin and related substances 781(1997)417
Zimmerman, M.J., see Chen, J. 781(1997)205
Zuriguel, V., Caussé, E., Bounéry, J.D., Nouadje, G., Siméon, N., Nertz, M., Salvayre, R. and Couderc, F.
Short chain fatty acids analysis by capillary electrophoresis and indirect UV detection or laser-induced fluorescence 781(1997)233